

Ambit Rail Lamp

“Why do you get attracted to certain shapes and not others? With Ambit, we worked with the form and proportions in a very thorough and almost meticulous way. There is dynamic between the linear and rounded shape that creates an attractive outline. A timeless pendant, which never becomes boring to look at. The lampshade is made of a lightweight spun material and the dual-tone, with the inner white, adds a delicate contrast.”

— TAF Studio



Designed by	TAF Studio / 2017
About the designer	TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson and Mattias Ståhlbom. The duo works within product and interior design.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	The Ambit Rail Lamp is characterized by its simple lines and elegant shapes, bringing a refined light to any space. With its shades being made of handspun aluminum, the Ambit Rail Lamp features white interiors that provide a contrast to its outside shade while enhancing the light emitted into the room of any home, office or hospitality space.
Material	Rail made from cast and extruded aluminum. Shades in spun aluminum with a rubber cord and steel wires. Made from old brazier traditions, the lampshades are press spun by hand. Hereafter, the lampshades are polished and painted by hand. The rail is cut from tubes that are adjusted to fit each other on a lathe machine.
Cleaning & Care	Clean the lamp with a soft dry cloth only. Always switch off electricity supply before cleaning.
Cord length	400 cm / 157.5"
Light source included	No.
Ceiling Cap included	Yes.
Dimmable function	Yes.

MUUTO


FOR PRODUCT INFORMATION, SWATCHES + ORDERING: HELLO@RYPEN.COM | 800.560.0554 | WWW.RYPEN.COM

Ambit Rail Lamp



Dimensions

Height: 19,7 cm / 7.8"
Width: 126 cm / 49.6"
Depth: 25 cm / 9.8"
Diameter: 25 cm / 9.8"
Cord Length: 400 cm / 157.5"



Ready-to-ship

Black
Taupe
White
Grey



Lamp rating


Voltage 120V
Frequency 60Hz
IP Rating IP20
Socket 3 x E12
Max. 60W; incandescent lamp; Type G
Max. 13W; self-ballasted; CFL
Max. 11W; self-ballasted LED bulb

Light source recommendation

Lamp Base E12
Dimensions Ø45 x 85 mm
Light Source Shape P45 / G45
Light Source Type Halogen / LED with frosted diffuser
Max Voltage Max. 60W; incandescent lamp; Type G
Max. 13W; self-ballasted; CFL
Max. 11W; self-ballasted LED bulb

Tests, Labels & Certifications

Electromagnetic Compatibility Electromagnetic Compatibility (EMC)
Safety & Regulations cETLus or cULus



MUUTO



PROFESSIONALS

rypen
STUDIO

Register for Our Exclusive
Project Builder + Ordering Platform

MUUTO

FOR PRODUCT INFORMATION, SWATCHES + ORDERING: HELLO@RYPEN.COM | 800.560.0554 | WWW.RYPEN.COM