


Leaf Floor Lamp

“Combining a light and elegant design with an energy-efficient LED technology, the Leaf Floor Lamp has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the leaf according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space.”

— Broberg & Ridderstråle



Designed by	Broberg & Ridderstråle / 2012
About the designer	Broberg & Ridderstråle are Swedish designers and architectural partners. Their work combines aesthetic rationality with a touch of humor and wit. Both Mats Broberg and Johan Ridderstråle graduated from Konstfack University of Design with honors and have been awarded the Swedish Art Council's working grant. Their work has been exhibited in Tokyo, Milan, and London.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	With its elegantly simple lines, the Leaf Floor Lamp brings ambient as well as direct lighting to any space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired for one's individual space and atmosphere.
Material	Aluminum, Brass, Coloured PVC cord. The Leaf Floor Lamp is a result of a process combining turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L90 B10 35.000 hours.
Cleaning & Care	Wipe off dust with dry cloth. If necessary use a moist cloth, then dry off. Do not use abrasive cleaning agents. Always switch off the electricity supply before cleaning.
Light source included	Yes.
Dimmable function	Yes.

MUUTO

FOR PRODUCT INFORMATION, SWATCHES + ORDERING: HELLO@RYPEN.COM | 800.560.0554 | WWW.RYPEN.COM

Leaf Floor Lamp



Dimensions

Length:	22 cm / 8.7"
Height:	119 cm / 46.9"
Width:	43,4 cm / 17.1"
Diameter:	22 cm / 8.7"
Cord Length:	180 cm / 70.9"



Ready-to-ship

Grey
White
Black
Copper Brown
Dark Green



Lamp rating


Voltage	120V
Frequency	60Hz
IP Rating	IP20
Socket	52 x integrated, non-replaceable LEDs

Light source specification

Item	52 x integrated, non-replaceable LEDs
Watt	8W
Lumen	370 lm
Lumen Maintenance	54.000h
Kelvin	3.000K
CRI	90
Dimmable	Yes
Risk Group	Except

Tests, Labels & Certifications

Safety & Regulations cETLus or cULus



MUUTO



PROFESSIONALS

rypen
STUDIO

Register for Our Exclusive
Project Builder + Ordering Platform

MUUTO