


Linear Pendant Lamp

“The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series in any space in need of modern, functional lighting.”

— Thomas Bentzen



Designed by	Thomas Bentzen / 2020
About the designer	Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen’s designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over the world.
Environment	Indoor
Country of Production	China
Preassembled	Yes.
Description	The Linear Pendant Lamp is designed to create smaller atmospheres within larger spaces. The design features elegant lines and subtle details alongside its inherent functionality, making for a modern, functional light for any space.
Material	Lamphead in pressure-die casted and extruded, powder coated aluminum. Stem in powder coated steel. Diffuser in polycarbonate. PVC cord.
Cleaning & Care	Clean with soft dry cloth only. Always switch off electricity supply before cleaning.
Cord length	400 cm / 157.5"
Light source included	169,2 cm, 87,2 cm: Yes
Ceiling Cap included	169,2 cm, 87,2 cm: Yes
Dimmable function	No.

Linear Pendant Lamp



Dimensions

169,2 cm
Length: 169,2 cm / 66.6"
Height: 5,4 cm / 2.1"
Width: 10,7 cm / 4.2"
Cord Length: 400 cm / 157.5"



87,2 cm
Length: 87,2 cm / 34.3"
Height: 5,4 cm / 2.1"
Width: 10,7 cm / 4.2"
Cord Length: 400 cm / 157.5"



Lamp rating

	169,2 cm	87,2 cm
Voltage	120V	120V
Frequency	60Hz	60Hz
IP Rating	IP20	IP20
Socket	Integrated, non-replaceable LEDs	Integrated, non-replaceable LEDs

Light source specification

	169,2 cm	87,2 cm
Item	Integrated LED	Integrated LED
Watt	37,7W	20,3W
Lumen	1880 lm	1060 lm
Lumen Maintenance	48.000h	48.000h
Kelvin	3.000K	3.000K
CRI	90	90
Dimmable	Yes	Yes
Risk Group	Except	Except

Tests, Labels & Certifications

Safety & Regulations cETLus or cULus





PROFESSIONALS

rypen
STUDIO

Register for Our Exclusive
Project Builder + Ordering Platform

MUUTO