Linear Table Lamp

"The Linear Lamp Series is designed from the idea of creating smaller atmospheres through modern light, bringing a sense of intimacy to larger spaces. With their elegant expression, subtle details and inherent functionality of a dimmable light source, the designs create space for both being and working on your own as well as making for a friendly environment when in the company of others. Use the Linear Lamp Series for any space in need of modern, functional lighting that can be adjusted to the exact purpose of your space."



— Thomas Bentzen

Designed by	Thomas Bentzen / 2020	
About the designer	Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen's designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over the world.	
Environment	Indoor And Outdoor	
Country of Production	China	
Preassembled	Yes.	
Description	The Linear Table Lamp brings an elegant expression and subtle details to any space. Designed with inherent functionality through its dimmable light source, the Linear Table Lamp hints towards the archetypal library lamp through its familiar form, joined by a friendly character that allows for it to be used in any setting. The design features a USB-C plug for charging electronic devices.	
Material	Lamphead in pressure-die casted, powder coated aluminum. Stem in powder coated steel. Polycarbonate diffuser and PVC cord.	
Cleaning δ Care	Clean with soft dry cloth only. Always switch off the electricity supply before cleaning.	
Light source included	Yes.	
Dimmable function	Yes.	



Linear Table Lamp

Dimensions	Length: Height: Width:	23,2 cm / 9.1" 36,5 cm / 14.4" 16,5 cm / 6.5" L
Ready-to-ship	Black Grey	
Lamp rating	Voltage Frequency IP Rating Socket	120V 60Hz IP20 Integrated, non- replaceable LEDs
Light source specification	ltem Watt Lumen Lumen Maintenance Kelvin CRI Dimmable Risk Group	1 x Integrated, non- replaceable LED 6,25W 242 lm 48.000h 3.000K 90 Yes Except
Tests, Labels δ Certifications	Safety & Regulations	CETLus or cULus IP20





