
Post Floor Lamp

"The Post Floor Lamp came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Floor Lamp represents a new perspective through its graphic character and forward-thinking functionality. Configure up to three lighting units on the Post Floor Lamp for an elegant ambient or task light."



- Earnest Studio

Designed by Earnest Studio / 2017

About the designer Earnest Studio was founded by American-born, Rotterdam-based designer Rachel Griffin. With a

background in graphic design, she spent five years producing exhibitions and books before moving to the Netherlands to study at the Design Academy Eindhoven in 2007. She launched her own studio

in 2012, with a focus on furniture, lighting and accessories.

Environment Indoor

Country of Production China

Description The Post Floor Lamp is an innovative modular lighting design with an archetypal appearance,

graphic lines and forward-thinking functionalities. Exploring the utmost flexibility of a magnetic joint, the individual lighting units of the design can be positioned, turned and dimmed up and down to individual needs. Use the magnetic cable drops to position the cords on the rod. The Post Floor Lamp comes with two lighting units. An additional lighting unit can be purchased as spare part and

added to the design by plugging it into the power hub and positioning it on the rod.

Material Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and

acrylic opal diffuser. Cable drops in powder coated plastic with magnet. Power hub in powder

coated plastic with PVC cord.

Cleaning δ Care Clean with soft dry cloth only. Always switch off electricity supply before cleaning.

 $\begin{array}{ll} \mbox{Light source included} & \mbox{Yes.} \\ \mbox{Dimmable function} & \mbox{Yes.} \end{array}$

Additional information x2 Lighting units

x1 Floor stand

x1 Power Hub (with PSU) x2 Magnet Cable Drop

Cord Length Lighting Unit: 250 cm / 98." and Hub 200 cm / 78.7"

Post Floor Lamp



Dimensions

Height: Diameter: 136,2 cm / 53.6" 9,5 cm / 3.7"



Ready-to-ship

Black

Lamp rating

Voltage 120V 60Hz Frequency IP Rating IP20

Integrated, non-Socket replaceable LEDsMax

6,7W (One Unit, incl. Power HUB)Max. 13W (Two Units, incl. Power

HUB)

Light source specification

Integrated, non-Item replaceable LED

6,7W Watt Lumen 330 lm 54.000h Lumen Maintenance 2.700K Kelvin CRI 90 Dimmable Yes Risk Group Except

Tests, Labels $\boldsymbol{\delta}$ Certifications

Safety & Regulations

cETLus or cULus



















