

# Rime Pendant Lamp

“Designing simple things is often one of the hardest things to do. We wanted to create a simple lamp with a glass shape, giving it a soft expression while making its top and pendant tube as subtle as possible. We were inspired by the shape of acorns for the gentle lines of the pendant while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for the light to shine slightly through with a refined touch.”

— TAF Studio



<b>Designed by</b>	TAF Studio / 2020
<b>About the designer</b>	TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson and Mattias Ståhlbom. The duo works within product and interior design.
<b>Environment</b>	Indoor
<b>Country of Production</b>	Poland
<b>Preassembled</b>	Yes.
<b>Description</b>	The Rime Pendant Lamp brings an elegant perspective to the glass pendant lamp through its semi-transparent glass that has been sandblasted for a refined expression. The design features a characteristic form, inspired by the shape of acorns, complemented by its powder-coated top-part, pendant tube and cord in a matching color for a subtle touch. The design is available in four colors across four sizes, allowing you to use the design on its own or in linear formations or playful clusters for a modern chandelier.
<b>Material</b>	Mouthblown glass shade that has been sandblasted. Aluminum, powder coated top-piece and pendant tube. PVC cord.
<b>Cleaning &amp; Care</b>	Clean with a dry cloth. Always switch off electricity supply before cleaning.
<b>Cord length</b>	400 cm / 13.1"
<b>Light source included</b>	Ø 14.6", Ø 17.7", Ø 9.8": No
<b>Ceiling Cap included</b>	Ø 14.6", Ø 17.7", Ø 9.8": Yes
<b>Dimmable function</b>	Yes.
<b>Additional Information</b>	The Rime Pendant Lamp is made in a unique semi-transparent glass that has been sandblasted. Included in the box with the Rime Pendant Lamp is a set of gloves that we recommend worn when mounting the design to care for the unique surface of the material. If the gloves are not worn when mounting the design, fingerprints might be seen on the surface of the design.

**MUUTO**

FOR PRODUCT INFORMATION, SWATCHES + ORDERING: [HELLO@RYPEN.COM](mailto:HELLO@RYPEN.COM) | 800.560.0554 | [WWW.RYPEN.COM](http://WWW.RYPEN.COM)

# Rime Pendant Lamp



## Dimensions

**Ø 9.8"**  
 Length: 25 cm / 9.8"  
 Height: 30 cm / 11.8"  
 Width: 25 cm / 9.8"  
 Diameter: 25 cm / 9.8"  
 Cord Length: 400 cm / 13.1"



**Ø 14.6"**  
 Length: 37 cm / 14.6"  
 Height: 45,5 cm / 17.9"  
 Width: 37 cm / 14.6"  
 Diameter: 37 cm / 14.6"  
 Cord Length: 400 cm / 13.1"



**Ø 17.7"**  
 Length: 45 cm / 17.7"  
 Height: 55,5 cm / 21.9"  
 Width: 45 cm / 17.7"  
 Diameter: 45 cm / 17.7"  
 Cord Length: 400 cm / 13.1"



## Ready-to-ship

White  
 Black



## Lamp rating

	Ø 9.8"	Ø 14.6"	Ø 17.7"
<b>Voltage</b>	120V	120V	120V
<b>Frequency</b>	60Hz	60Hz	60Hz
<b>IP Rating</b>	IP20	IP20	IP20
<b>Socket</b>	1 x E12Max. 40W Incandescent light bulbMax. 10W listed self- ballasted LED bulb	1 x E12Max. 60W Incandescent light bulbMax. 18W listed self- ballasted LED bulb	1 x E12Max. 60W Incandescent light bulbMax. 18W listed self- ballasted LED bulb

## Light source recommendation

	Ø 9.8"	Ø 14.6"	Ø 17.7"
<b>Lamp Base</b>	E12	E26	E26
<b>Dimensions</b>	Ø1,8"	Ø2.4"	Ø2.4" or Ø3"
<b>Light Source Shape</b>	P45	A60	A60 or A67
<b>Light Source Type</b>	LED with opal or frosted diffuser	LED with opal or frosted diffuser	LED with opal or frosted diffuser
<b>Max Voltage</b>	Max. 40W Incandescent light bulbMax. 10W listed self-ballasted LED bulb	Max. 60W Incandescent light bulbMax. 18W listed self-ballasted LED bulb	Max. 60W Incandescent light bulbMax. 18W listed self-ballasted LED bulb

**MUUTO**

# Rime Pendant Lamp



Tests, Labels & Certifications

Safety & Regulations

cETLus or cULus



IP20



**MUUTO**



PROFESSIONALS

**rypen**  
STUDIO

Register for Our Exclusive  
Project Builder + Ordering Platform

**MUUTO**

FOR PRODUCT INFORMATION, SWATCHES + ORDERING: [HELLO@RYPEN.COM](mailto:HELLO@RYPEN.COM) | 800.560.0554 | [WWW.RYPEN.COM](http://WWW.RYPEN.COM)