### $\supset$

### STACKED STORAGE SYSTEM—ORDER GUIDE

Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables.


Option A - Choose between one of our 24 pre-designed configurations.

Option B — Design your own configuration from scratch using our diverse range of modules, bases, and accessories. Find guidance on the next pages or visit <u>planner.muuto.com/Stacked</u> to create your own configuration online.

The online Product Planner seamlessly integrates every guideline and assembly instruction, ensuring a smoother path to a Stacked Storage System customized for your spatial requirements!

### Option A — Choose between one of our 24 pre-designed configurations

#### Bookcase



Bookcase I W 262 cm / IO3.I5" H 228 cm / 89.76" D 35 cm / I3 78"



Bookcase 2 W I5O cm / 59.O6" H 2I8 cm / 85.83" D 35 cm / I3.78"



Bookcase 3 W 262 cm / IO3.I5" H I48 cm / 58.27" D 35 cm / I3.78"




Bookcase 4 W I75 cm / 68.9" H I53 cm / 60.24"




Bookcase 5 W I3I cm / 5I.57" H I48 cm / 58.27" D 35 cm / I3.78"



Bookcase 6 W 196 cm / 77.17" H 109 cm / 42.91" D 35 cm / 13.78"



Bookcase 7 (Wall-mounted) W 65 cm / 25.59" H 218 cm / 85.83" D 35 cm / 13.78"




Bookcase 8 W 87 cm / 34.25" H 218 cm / 85.83" D 35 cm / 13.78"

### Sideboard

				[	
D	D	D	D	Д	D

Sideboard I W 262 cm / 103.15" H 121 cm / 47.64" D 35 cm / 13.78"



Sideboard 2 W 262 cm / 103.15" H 85 cm / 33.46" D 35 cm / 13.78"



Sideboard 3 W 131 cm / 51.57" H 106 cm / 41.73" D 35 cm / 13.78"




Sideboard 4 W 87 cm / 34.25" H 131 cm / 51.57" D 35 cm / 13.78"




Sideboard 5 (Wall-mounted) W I3I cm / 51.57" H 65 cm / 34.25" D 35 cm / I3.78"



D = module w. door








### STACKED STORAGE SYSTEM—ORDER GUIDE

## $\square$

#### Hallway



Hallway I W 174 cm / 68.5" H 119 cm / 46.85" D 35 cm / 13.78"



Hallway 2 W 131 cm / 51.57" H 55 cm / 21.65" D 35 cm / 13.78"




Hallway 3 W 131 cm / 51.57" H 128 cm / 50.39" D 35 cm / 13.78"




Hallway 4 (Wall-mounted) W 87 cm / 34.25" H 87 cm / 34.25" D 35 cm / 13 78"


#### Office



Office I W 262 cm / IO3.I5" H 228 cm / 89.76" D 35 cm / I3.78"



Office 2 W 262 cm / IO3.I5" H 2O6 cm / 8I.I" D 35 cm / I3.78"



Office 3 W 262 cm / IO3.I5" H IO6 cm / 4I.73" D 35 cm / I3.78"



Office 4 W 44 cm / I7.32" H I4I cm / 55.51" D 35 cm / I3.78"



Office 5 W 87 cm / 34.25" H 75 cm / 29.53" D 35 cm / I3.78"

### Bedside Table



Bedside I W I74 cm / 68.5" H II9 cm / 46.86" D 35 cm / I3.78"



Bedside 2 W I3I cm / 51.57' H 55 cm / 21.65" D 35 cm / I3.78"

### Option B — Design your own configuration

### STEP 1. BASE

All Modules can be placed directly on the floor and Modules w. Back-board or w. Door can be mounted to a wall. You can also add your desired base, choosing from the base options as seen on the right.


All bases come in 4 different colors: Grey, White, Brown Green, Oak. Podium w. Tube Base always comes with Grey Tube Base.

#### Notes

When setting up a Stacked Storage System on a Podium or Plinth, attach clips to the bottom of each connected module on both the front and back.

All Podiums and Plinths feature 4 adjustable feet to accommodate uneven floors. Please be aware that for the Plinths, the holes for the adjustable feet at the ends may be visible if not covered by Modules.

A Stacked Podium is tested to withstand a maximum weight of 300 kg / 660 lbs.





### STACKED STORAGE SYSTEM—ORDER GUIDE



### STACKED STOKAGE STOTELL SKIDER GOLD

Select the Modules of your configuration, choosing from the modules shown on the right.

All modules come in 4 different colors: Grey, White, Brown Green, Oak.

#### Notes

STEP 2. MODULES


You must only stack a maximum of 5 Modules on top of each other, reaching a height no taller than 240 cm / 94.49 inches.

Door Modules must always be placed so the door opens vertically. Never place Door Modules horizontally.

Position Stacked Medium w. Door Modules no higher than 148 cm / 58.26 inches above the ground. Stacked Large w. Door Modules should only be placed on the 1st row of a configuration.

A Stacked Module is tested to hold up to 25 kg / 55 lbs.

A wall-mounted Stacked Module is tested to hold up to I2 kg / 26.5 lbs.



#### STEP 3. TOP PLATE OR SEAT CUSHION

If relevant, add your desired number of Top Plates for a nice finish when e.g. building a sideboard configuration. Add a Seat Cushion to create a cozy nook providing additional comfort, e.g. when building a bench for your Hallway.


Top Plates come in 4 different colors: Grey, White, Brown Green, Oak.

#### Notes

Do not build any Stacked Storage Systems taller than I3O cm / 5I.18" when building a configuration with a Top Plate. Do not build with a Top Plate if the configuration is wall-mounted.

When building with a Top Plate, minimum 4 Clips must be placed in each corner to secure the Top Plate.


The Top Plate(s) must be placed evenly on the Modules, meaning that the Top Plate(s) must not be placed so that the Top Plate(s) are sticking out from the side of the Modules beneath.



#### STEP 4. SHELVES

Add your desired Shelves or Inserts.

Shelves come in 4 different colors: Grey, White, Brown Green, Oak. Inserts come in 2 different colors: Grey, Blue Grey.



#### Notes

Shelves can be positioned in two fixed positions inside modules w. door. Inserts can be placed in open modules and modules w. backboard.

#### STEP 5. CLIPS

Each module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

Identify the amount of possible extra Clips required to connect the modules in your configuration, following the guidelines below.



### Notes

Clips must always be used when joining together Modules, Bases and Top Plates. The Clips must connect the elements in the system from left to right to ensure the overall stability of the Stacked

As a general rule, attach one clip to the front and one to the back of each module. When placing a Stacked clip on the backside of a Stacked Module with a Door, you must always position it at the bottom, both at the front and back.

Extra clips can be purchased separately to increase the configuration's stability. You can buy extra Clips in set of two.



### $\square$

### Stacked Storage System Podium w. Tube Base

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

- Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

Cleaning  $\delta$  Care

Preassembled Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. The Podium with Tube Base stands taller and presents a lighter visual appearance, making any configuration appear more

free-standing.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

,

Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## 7

### Stacked Storage System Podium w. Tube Base

Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## $\square$

## Stacked Storage System Podium w. Tube Base

Dimensions 131 X 35 H: 17 CM / 51.5 X

13.75 H: 6.75"

 Height:
 17,15 cm / 6.75"

 Width:
 131 cm / 51.5"

 Depth:
 35 cm / 13.75"



43,5 X 35 H: 17 CM / 17.15 X

13.75 H: 6.75"

 Height:
 17,15 cm / 6.75"

 Width:
 43,5 cm / 17.15"

 Depth:
 35 cm / 13.75"



Ready-to-Ship

Oak/Grey White/Grey Brown Green/Grey



Tests, Labels δ Certifications

Safety & Regulations

EAC Certificate

TSCA Title VI - formaldehyde



### $\square$

### Stacked Storage System Plinth

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

**Preassembled** Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use the Plinth as a base

for a more grounded and refined appearance reminiscent of a classic bookshelf.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

Cleaning & Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should

not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



### Stacked Storage System Plinth

Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## Stacked Storage System Plinth



Dimensions (31 X 35 H: 10 CM / 51.5 X

13.75 H: 3.8"

 Height:
 9,8 cm / 3.86"

 Width:
 131 cm / 51.5"

 Depth:
 35 cm / 13.78"



43,5 X 35 H: 10 CM / 17.15 X

13.75 H: 3.8"

 Height:
 9,8 cm / 3.86"

 Width:
 43,5 cm / 17.15"

 Depth:
 35 cm / 13.78"



Ready-to-Ship

Brown Green Oak White



Tests, Labels δ Certifications

Safety & Regulations

EAC Certificate

TSCA Title VI - formaldehyde




### G:

### Stacked Storage System Open Modules

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

**Preassembled** Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Incorporating Open

Modules into a setup creates a more open and light appearance.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

27 10 126 11

Cleaning δ Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## 7

## Stacked Storage System Open Modules

#### Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## Stacked Storage System Open Modules



Dimensions	Large				
	Length:	65,4 cm / 25.75"			
	Height:	43,6 cm / 17.17"			
	Width:	45,6 cm / 25.75"			
	Depth:	35 cm / 13.78"	H		
	Deptii.	33 CIII / 13.76			
	Medium				
	Length:	43,6 cm / 17.25"			
	Height:	43,6 cm / 17.17"			
	Width:	43,6 cm / 17.17"			
	Depth:	35 cm / 13.78"	H H		
	-		W D		
	Small				
	Length:	21,8 cm / 8.5"			
	Height:	43,6 cm / 17.17"			
	Width:	21,8 cm / 8.58"			
	Depth:	35 cm / 13.78"	H		
	Deptii.	55 CIII / 15.76	W D		
			·· -		
Ready-to-Ship					
Reddy-to-Ship	White				
	Oak				
	Light Grey				
	Brown Green				
		<u> </u>			
Tests, Labels δ	Cofee FRee Letters	EAC Certificate			
Certifications	Safety & Regulations		1.1.1		
		TSCA Title VI – formaldehyde			
	Strength, Durability δ	EN 16122 & EN 16121 Furniture			
	Stability				



## $\supset$

### Stacked Storage System Modules w. Backboard

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

Cleaning  $\delta$  Care

**Preassembled** Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Incorporating Modules with a Backboard and a pop of color introduces a playful element and provides a more finished

appearance.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

,

Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## 7

### Stacked Storage System Modules w. Backboard

#### Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



### HELLO@RYPEN.COM | 800.560.0554 | WWW.RYPEN.COM



### **Stacked Storage System** Modules w. Backboard

**Dimensions** Large 65,4 cm / 25.75" Length: Height: 43,6 cm / 17.25" Width: 65,4 cm / 25.75" Depth: 35 cm / 13.78" Medium Length: 43,6 cm / 17.25" Height: 43,6 cm / 17.17" 43,6 cm / 17.17" Width: Depth: 35 cm / 13.78" Small 21,8 cm / 8.5" Length: Height: 43,6 cm / 17.17" Width: 21,8 cm / 8.58" Depth: 35 cm / 13.78" Ready-to-Ship White Oak Light Grey Brown Green Tests, Labels  $\boldsymbol{\delta}$  Certifications Safety & Regulations EAC Certificate TSCA Title VI - formaldehyde

> Strength, Durability  $\delta$ Stability

EN 16122 & EN 16121 Furniture



### $\square$

### Stacked Storage System Modules w. Door

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

Preassembled Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use Modules with a Door

for protective storage.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

Cleaning & Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## $\square$

### Stacked Storage System Modules w. Door

Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## 7

## Stacked Storage System Modules w. Door

Dimensions

Z.iiieiisieiis	Lorge Length: Height: Width: Depth:	65,4 cm / 25.75" 65,4 cm / 25.75" 43,6 cm / 17.17" 35 cm / 13.78"			
	Medium Length: Height: Width: Depth:	43,6 cm / 17.25" 43,6 cm / 17.17" 43,6 cm / 17.17" 35 cm / 13.78"			
Ready-to-Ship	White Oak Light Grey Brown Green				
Tests, Labels δ Certifications	Safety చ Regulations	EAC Certificate TSCA Title VI – formaldehyde			
	Strength, Durability & Stability	EN 16122 & EN 16121 Furniture			




## $\supset$

### Stacked Storage System Top Plate

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

- Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

Preassembled Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use a Top Plate for a smooth surface on the top of a setup, and to eliminate visible gaps between stacked modules.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

Cleaning & Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## $\square$

### Stacked Storage System Top Plate

#### Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## 7

### Stacked Storage System Top Plate

Dimensions (31 X 35 / 51.5 X 13.75"

 Height:
 1,85 cm / 0.73"

 Width:
 131 cm / 51.5"

 Depth:
 35 cm / 13.78"

43,5 X 35 / 17.15 X 13.75"

 Height:
 1,85 cm / 0.73"

 Width:
 43,5 cm / 17.15"

 Depth:
 35 cm / 13.78"

D D

Ready-to-Ship

Oak White Brown Green



Tests, Labels δ Certifications

Safety & Regulations

EAC Certificate TSCA Title VI – formaldehyde





### Stacked Storage System Seat Cushion

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

**About the Designer** Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Poland

Preassembled Yes.

**Description** The Stacked Storage System - Seat Cushion features an anti-slip backside and a removable,

replaceable cover. The cushion includes a zipper on the back for convenience. Designed in one size,

the cushion helps you create a cozy nook while providing additional comfort and style.

Material EU/US: HR Foam

UK: CMHR Foam

Both with antislip back

Cleaning & Care For textile versions, please find cleaning instructions for your chosen textile at kvadrat.dk

For leather versions, clean the leather with a dry cloth regularly.

Treat the leather when needed using only special leather treatment products.

Additional Information Each Stacked module comes with two Clips in the same color as the module, while Oak comes with

two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.



### Stacked Storage System Seat Cushion



**Dimensions** 

 Length:
 131 cm / 51.57"

 Height:
 5 cm / 1.97"

 Depth:
 35 cm / 13.78"

Ready-to-Ship

Beck 49

Refine Leather Cognac

Made-to-Order

This product can be upholstered in the following textiles: Acca, Allure Leather, Balder, Beck, Canvas, Clara, Divina, Divina MD, Divina Melange, Easy Leather, Ecriture, Endure Leather, Fiord, Grace Leather, Grain, Hallingdal, Hearth, Manner, Ocean, Refine Leather, Remix, Re-wool, Sabi, Steelcut, Steelcut Trio, Twill Weave, Vidar, Wooly

Upholstery Consumption for Customers' Own Material

Textile upholstery: 0.85 m / 0.03 ydsLeather upholstery: 1.7 m2 / 0.16 ft2

Tests, Labels  $\boldsymbol{\delta}$  Certifications

Safety & Regulations

Technical Bulletin (TB)



## $\square$

### Stacked Storage System Shelf

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

**Preassembled** Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use a Shelf for added

storage and display space.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

can resonate the can be can be

Cleaning & Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## 7

### Stacked Storage System Shelf

#### Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## 2

### Stacked Storage System Shelf

**Dimensions** 

Height: Width: Depth: 1 cm / 0.4" 39,7 cm / 16.6" 28,7 cm / 11.3"

D H

Ready-to-Ship

Oak White Brown Green

Tests, Labels δ Certifications

Safety & Regulations

EAC Certificate TSCA Title VI – formaldehyde



### 7

### Stacked Storage System Insert

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

Preassembled Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use an Insert for

flexibility and added storage and display space.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

can resonate the can be can be

Cleaning & Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## 7

### Stacked Storage System Insert

Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## $\square$

### Stacked Storage System Insert

**Dimensions** 

Height: Width: Depth: 20 cm / 7.8" 39,6 cm / 15.6" 28,2 cm / 11.1"

W | D

Ready-to-Ship

Blue Grey



## Stacked Storage System Clips

"The design aims at identifying this very intricate space in the world of shelving where storage, display and versatility becomes one. I have moved homes countless of times and it has made me see my belongings in a new light, valuing their ability to adapt to new and ever-changing surroundings to a high degree."

— Julien De Smedt



**Designed by** Julien De Smedt

About the Designer Julien De Smedt is the founder of JDS Architects, an award-winning, internationally acclaimed

studio with an unconventional approach to architecture and design, always working to challenge the

existing norms.

Environment Indoor

Country of Production Slovenia

**Preassembled** Yes - But assembling of configurations or mounting to wall is needed.

**Description** Being both versatile and functional, the Stacked Storage System can be arranged and rearranged for

the exact configuration that you'd like, whether it be as shelving setups, sideboards, bookcases, or side tables. The design can easily be refreshed by playing around with the space between the modules or mounting the modules with a backboard directly onto the wall. Use Stacked Clips on all

modules to ensure safety and stability.

Material Modules, plinths and shelves in PU lacquered MDF or Oak veneered fiberboard. Podium consists of

powder coated steel frame and a wooden plate made from a PU lacquered MDF or oak veneered fiberboard. Clips are powder coated bent steel with rubber insert. Insert made from bent powder

coated steel with rubber feet.

Lacquered versions: Every side is cut out of MDF, glued together and painted with three layers of

PU lacquer.

Oak versions: Every side is cut out of fiberboard with oak veneer and glued together.

Cleaning δ Care Natural Oak Modules

Avoid using any liquid on Natural Veneer Stacked variants. Remove dust from shelves with a soft cloth. Dry any spillages immediately with a soft cloth following the wood grains. The wood should

not be exposed to excessive heat, direct sunlight, or humidity. The wood surface finish will naturally

fade over time.

Lacquered Modules

Clean the modules with a damp cloth. If necessary, only use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. To minimize the risk of stains and marks, liquid, grease, etc., should be removed immediately. The wood should not be exposed to excessive heat, direct sunlight, or humidity. Take care when placing or moving objects on the surfaces of

Stacked as scratches can quickly occur.

Metal Surfaces



## $\square$

## Stacked Storage System Clips

#### Additional Information

Each Stacked module comes with two Clips in the same color as the module, while Oak comes with two Clips in Grey.

The Stacked Storage System Modules complies with the European requirements for safety, strength, durability and stability within storage — EN 16121:2013 and EN 16122:2012 — when following the assembly and configuration guidelines.

All 24 pre-designed configurations complies with the European requirements for safety, strength, durability and stability within storage — EN 16121+A1:2017 Test Severity 2 — when following the assembly and configuration guidelines.

The Stacked Storage System Hallway Configuration 1 and 2 complies with the European requirements for safety, strength, durability and stability – EN 16139-L2 – Requirements for non-domestic seating — when following the assembly and configuration guidelines.

Weight & Height Limits

Max. weight per module: 25 kg/55 lb (free-standing) & 12 kg/26.5 lb (wall-mounted). Max. total weight: 300 kg/660 lb when evenly distributed on the Podium. Max. total height: 285 cm/112.25" and max. 6 modules on top of one another. Modules must always be connected with 2 Clips or be mounted to a wall to ensure stability of the shelving system. Always follow our assembly and configuration guidelines.



## 7

## Stacked Storage System Clips

Dimensions Extra Clips (2 pcs)

Length: 4 cm

 Height:
 4,1 cm / 1.61"

 Width:
 4,17 cm / 1.64"

 Depth:
 2,39 cm / 0.94"

Table 1

Set of 5

 Length:
 4 cm

 Height:
 4,1 cm / 1.61"

 Width:
 4,17 cm / 1.64"

 Depth:
 2,39 cm / 0.94"

The state of the s

Ready-to-Ship

Grey White Brown Green



Tests, Labels δ Certifications

Safety & Regulations

EAC Certificate

TSCA Title VI - formaldehyde

Strength, Durability & Stability  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2}\right)$ 

EN 16122 & EN 16121 Furniture



# rypen





800.560.0554



WWW.RYPEN.COM



Build Projects. Request quotes. Get product recommendations. With Rypen Studio—our exclusive project building and ordering platform for professionals—getting exactly what you want is simple.





