

### normann




# Inspired by Copenhagen's iconic street lighting

A granite base with a thunder grey mineral mélange constitutes the magnetic starting point for the Grant series. In a symphony of contrasts, this elegant igneous stone is paired with polished metals to compose a refined and balanced design. Grant arises from the aesthetic interplay between high shine and dusty granular depth.



## normann

# **Collection Overview**






#### normann



# **Color Options**





Brass / Granite

Black / Granite





# Product Facts Grant Pendant EU

#### Description

The Grant pendant lamps in two sizes provide ample opportunity for lighting up spaces of various sizes and characters. Due to the dispersion lens, the pendants can be hung high without blinding.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

4 m textile cord, black color.

#### Canopy

Included, black color, H: 7,7 x Ø: 9 cm, 0,04 kg

#### Dimmable function

Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

#### Voltage

220-240 V 🖈

normann copenhagen



#### **▶** Frequency

50/60 Hz

#### Ip rating

IP20

#### Classification

Class II

#### Socket

Grant Pendant Ø23 cm: 2×G9 Grant Pendant Ø45 cm: E27

#### Max load

Grant Pendant Ø23 cm: 2×3W, total: 6W

Grant Pendant Ø45 cm: 8W

#### Light source - not included

Grant Pendant Ø23 cm:


Recommended bulb type: 2×G9 3W LED bulb

Grant Pendant Ø45 cm:

Recommended bulb type: E27 A60 8W LED bulb

#### General standards & certificates

EN 55015:2013 EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013











### normann





# Product Facts Grant Floor Lamp EU

#### Description

Sharing the same features as the Grant table lamp, an adjustable shade and dimmer switch, the Grant floor lamp is ideal as a reading lamp or for lighting up dark corners.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens,attached with small brass finger screws. A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

2 m textile cord with switch, black color.

normann



Yes

Voltage

220-240 V

Frequency

50/60 Hz

Ip rating

IP20

Classification

Class II

Socket

2×G9

Max load

2×3W, total: 6W


Light source - not included

Recommended bulb type: 2×G9 3W

LED bulb

#### General standards & certificates

EN 55015:2013 EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013













### normann





# Product Facts Grant Table Lamp EU

#### Description

The Grant table lamp is a sophisticated desk lamp for the home office, but equally fit for the bedside table or living room sideboard. Tilt the lampshade up and down to direct the light and scroll on the cord's dimmer switch to go from soft ambiance light to a bright reading light.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection, are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws. A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

2 m textile cord with switch, black color.



Yes

Voltage

220-240 V

Frequency

50/60 Hz

Ip rating IP20

Classification

Class II

Socket

2×G9

Max load

2×3W, total: 6W

Light source - not included

Recommended bulb type: 2×G9 3W

LED bulb

#### General standard & certificates

EN 55015:2013 EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013















### normann



# Product Facts Grant Wall Lamp EU

#### Description

An aesthetic and space-optimizing lighting solution, the Grant wall lamps have arms that move from right to left and lampshades that can be tipped up and down, allowing the lamps to take up several different positions.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws. The wall lamp versions can move from side to side (ca.180 degrees). A ball joint connection allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

4 m textile cord with switch, black color.



Yes

#### Voltage

220-240 V

#### Frequency

50/60 Hz

#### Ip rating

IP20

#### Classification

Class II

#### Socket

2×G9

#### Max load


2×3W, total: 6W

#### Light source - not included

Recommended bulb type: 2×G9 3W LED bulb

#### General standards & certificates

EN 55015:2013 EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013















### normann





# **Product Facts Grant Pendant US**

#### Description

The Grant pendant lamps in two sizes provide ample opportunity for lighting up spaces of various sizes and characters. Due to the dispersion lens, the pendants can be hung high without blinding.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

4 m textile cord, black color.

#### Canopy

Included, black color, H: 7,7 x Ø: 9 cm, 0,04 kg ▶

normann copenhagen



Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

#### Voltage

120 V

#### Frequency

60 Hz

#### Ip rating

IP20

#### Classification

Class I

#### Socket

Grant Pendant Ø23 cm: 2×G9 Grant Pendant Ø45 cm: E26

#### Max load

Grant Pendant Ø23 cm: 2×3W, total: 6W

Grant Pendant Ø45 cm: 8W

#### Light source - not included

Grant Pendant Ø23 cm:

Recommended bulb type: 2×G9 3W LED bulb

Grant Pendant Ø45 cm:

Recommended bulb type: E26 Ø60mm 8W LED bulb















### normann





# Product Facts Grant Floor Lamp US

#### Description

Sharing the same features as the Grant table lamp, an adjustable shade and dimmer switch, the Grant floor lamp is ideal as a reading lamp or for lighting up dark corners.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens,attached with small brass finger screws. A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

2 m textile cord with switch, black color.

normann



Yes

Voltage

120 V

Frequency

60 Hz

Ip rating

IP20

Classification

Class I

Socket

2×G9

Max load

2×3W, total: 6W

Light source - not included

Recommended bulb type: 2×G9 3W LED bulb



IP20







### normann





# **Product Facts Grant Table Lamp US**

#### Description

The Grant table lamp is a sophisticated desk lamp for the home office, but equally fit for the bedside table or living room sideboard. Tilt the lampshade up and down to direct the light and scroll on the cord's dimmer switch to go from soft ambiance light to a bright reading light.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection, are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws. A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

2 m textile cord with switch, black color.



Yes

Voltage

120 V

Frequency

60 Hz

Ip rating

IP20

Classification

Class I

Socket

2×G9

Max load

2×3W, total: 6W

Light source - not included

Recommended bulb type: 2×G9 3W LED bulb



IP20







## normann





# Product Facts Grant Wall Lamp US

#### Description

An aesthetic and space-optimizing lighting solution, the Grant wall lamps have arms that move from right to left and lampshades that can be tipped up and down, allowing the lamps to take up several different positions.

#### Design

Simon Legald, 2018

#### Material

Brass plated steel / Black plated steel / Granite

#### Construction

The six versions of the Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, attached with small brass finger screws. The wall lamp versions can move from side to side (ca.180 degrees). A ball joint connection allows the lampshades to be positioned in diverse directions.

#### Maintenance

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

#### Cord

4 m textile cord with switch, black color.

normann



Yes

#### Voltage

120 V

#### Frequency

60 Hz

#### Ip rating

IP20

#### Classification

Class I

#### Socket

2×G9

#### Max load

2×3W, total: 6W

#### Light source - not included

Recommended bulb type: 2×G9 3W LED bulb



IP20







### normann



# PROFESSIONALS FUNCTION OF THE PROFESSIONALS Register for Our Exclusive Project Builder + Ordering Platform

normann copenhagen